

RAUVISIO noir™ Monotonic Matte Surface Laminate

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO noir technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO noir technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO noir technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO noir Monotonic Matte Surface Laminate by REHAU Industries

- A. Approved product: REHAU's RAUVISIO noir Monotonic Matte Surface Laminate
 - 1. RAUVISIO noir Monotonic Matte Surface Laminate fabricated by approved fabricator
 - a. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate After Dark 154708
 - b. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Boxcar Blonde 154714
 - c. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Capital Starlit 154706
 - d. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Casa Blanca 154705
 - e. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Gaslit Alley 154712
 - f. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate High Low 154707
 - g. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Maltese Mist 154704
 - h. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Midnight Dash 154713

- i. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Olive Detour 154715
- j. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Silver Lake 154709
- k. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Smoke Stack 154710
- l. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Trench Coat 154711
- m. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Platinum Sands 155001
- n. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Gimlet Haze 155064
- o. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Decoy Dusk 155065
- p. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Sierra Social 155000
- q. 0.9 mm RAUVISIO noir Monotonic Matte Surface Laminate Taupe Farewell 155063

2.3 RAUVISIO noir matching edgebanding by REHAU Industries

A. Approved product: REHAU LaserEdge™ edgebanding

1. RAUVISIO noir Elegant Matte REHAU LaserEdge edgebanding, fabricated by approved manufacturer
 - a. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte After Dark 140339
 - b. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Boxcar Blonde 140958
 - c. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Capital Starlit 140038
 - d. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Casa Blanca 78919
 - e. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Gaslit Alley 71436
 - f. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte High Low 78828
 - g. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Maltese Mist 140986
 - h. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Midnight Dash 140622
 - i. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Olive Detour 140607
 - j. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Silver Lake 71407
 - k. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Smoke Stack 140614
 - l. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Trench Coat 140337
 - m. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Platinum Sands C200838
 - n. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Gimlet Haze C700208
 - o. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Decoy Dusk C600897
 - p. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Sierra Social C300357
 - q. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Taupe Farewell C400815

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO noir technical information using screw on European concealed hinges.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO noir technical information

www.rehau.com/downloads/1044082/rauvisio-noir-technical-information.pdf

4.2 RAUVISIO noir laminate and edgeband limited warranty

www.rehau.com/downloads/734738/standard-purchase-terms-and-conditions.pdf

4.3 RAUVISIO noir

na.rehau.com/noir



RAUVISIO noir™ Monotonic Matte Surface Board

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO noir technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO noir technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO noir technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO noir Monotonic Matte Surface Board by REHAU Industries

- A. Approved product: REHAU's RAUVISIO noir Monotonic Matte Surface Board
 - 1. RAUVISIO noir Monotonic Matte Surface Laminate fabricated by approved fabricator
 - a. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board After Dark 154708
 - b. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Boxcar Blonde 154714
 - c. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Capital Starlit 154706
 - d. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Casa Blanca 154705
 - e. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Gaslit Alley 154712
 - f. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board High Low 154707
 - g. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Maltese Mist 154704
 - h. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Midnight Dash 154713

- i. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Olive Detour 154715
- j. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Silver Lake 154709
- k. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Smoke Stack 154710
- l. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Trench Coat 154711
- m. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Platinum Sands 155001
- n. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Gimlet Haze 155064
- o. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Decoy Dusk 155065
- p. 19.5 mm RAUVISIO noir Monotonic Matte Surface Board Sierra Social 155000
- q. 19.5mm RAUVISIO noir Monotonic Matte Surface Board Taupe Farewell 155063

2.3 RAUVISIO noir matching edgebanding by REHAU Industries

A. Approved product: REHAU LaserEdge™ edgebanding

1. RAUVISIO noir Elegant Matte REHAU LaserEdge edgebanding, fabricated by approved manufacturer
 - a. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte After Dark 140339
 - b. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Boxcar Blonde 140958
 - c. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Capital Starlit 140038
 - d. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Casa Blanca 78919
 - e. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Gaslit Alley 71436
 - f. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte High Low 78828
 - g. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Maltese Mist 140986
 - h. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Midnight Dash 140622
 - i. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Olive Detour 140607
 - j. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Silver Lake 71407
 - k. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Smoke Stack 140614
 - l. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Trench Coat 140337
 - m. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Platinum Sands C200838
 - n. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Gimlet Haze C700208
 - o. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Decoy Dusk C600897
 - p. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Sierra Social C300357
 - q. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Taupe Farewell C400815

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO noir technical information using screw on European concealed hinges.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO noir technical information

www.rehau.com/downloads/1044082/rauvisio-noir-technical-information.pdf

4.2 RAUVISIO noir board limited warranty

www.rehau.com/downloads/1532224/rauvisio-panel-and-finished-component-limited-warranty.pdf

4.3 RAUVISIO noir edgeband limited warranty

www.rehau.com/downloads/734738/standard-purchase-terms-and-conditions.pdf

4.4 RAUVISIO noir

na.rehau.com/noir



RAUVISIO noir™ Monotonic Matte Surface Cabinet Doors

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO noir technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO noir technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO noir technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO noir Monotonic Matte Surface Cabinet Doors by REHAU Industries

- A. Approved product: REHAU's RAUVISIO noir Monotonic Matte Surface Cabinet Doors
 - 1. RAUVISIO noir Monotonic Matte Surface Cabinet Doors fabricated by approved fabricator
 - a. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors After Dark 154708
 - b. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Boxcar Blonde 154714
 - c. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Capital Starlit 154706
 - d. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Casa Blanca 154705
 - e. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Gaslit Alley 154712
 - f. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors High Low 154707
 - g. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Maltese Mist 154704
 - h. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Midnight Dash 154713

- i. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Olive Detour 154715
- j. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Silver Lake 154709
- k. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Smoke Stack 154710
- l. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Trench Coat 154711
- m. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Platinum Sands 155001
- n. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Gimlet Haze 155064
- o. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Decoy Dusk 155065
- p. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Sierra Social 155000
- q. 19.5 mm RAUVISIO noir Monotonic Matte Surface Cabinet Doors Taupe Farewell 155063

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO noir technical information using screw on European concealed hinges.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO noir technical information

www.rehau.com/downloads/1044082/rauvisio-noir-technical-information.pdf

4.2 RAUVISIO noir cabinet door limited warranty

www.rehau.com/downloads/1532224/rauvisio-panel-and-finished-component-limited-warranty.pdf

4.3 RAUVISIO noir

na.rehau.com/noir

RAUVISIO noir™ Monotonic Matte Surface Floating Shelves

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework
- D. Section 105629 - Storage racks

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO noir technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO noir technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the REHAU Floating Shelf Instruction Manual.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO noir Monotonic Matte Surface Floating Shelves by REHAU Industries

- A. Approved product: REHAU's RAUVISIO noir Monotonic Matte Surface Floating Shelves
 - 1. RAUVISIO noir Monotonic Matte Surface Floating Shelves fabricated by approved fabricator
 - a. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves After Dark 154708
 - b. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Boxcar Blonde 154714
 - c. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Capital Starlit 154706
 - d. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Casa Blanca 154705
 - e. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Gaslit Alley 154712
 - f. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves High Low 154707
 - g. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Maltese Mist 154704

- h. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Midnight Dash 154713
- i. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Olive Detour 154715
- j. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Silver Lake 154709
- k. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Smoke Stack 154710
- l. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Trench Coat 154711
- m. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Platinum Sands 155001
- n. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Gimlet Haze 155064
- o. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Decoy Dusk 155065
- p. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Sierra Social 155000
- q. 60.3 mm RAUVISIO noir Monotonic Matte Surface Floating Shelves Taupe Farewell 155063

03 Execution

3.1 Examination

A. Do not begin installation until confirming all REHAU floating shelf package contents are complete and included with the shelf, per the REHAU Floating Shelf Instruction Manual.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the REHAU Floating Shelf Instruction Manual.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO noir technical information

www.rehau.com/downloads/1044082/rauvizio-noir-technical-information.pdf

4.2 REHAU Floating Shelf Instruction Manual

www.rehau.com/downloads/1620524/rehau-floating-shelves-installation-instructions.pdf

4.3 RAUVISIO noir cabinet door limited warranty

www.rehau.com/downloads/1532224/rauvizio-panel-and-finished-component-limited-warranty.pdf

4.4 RAUVISIO noir

na.rehau.com/noir

